

**Hydraulic Low Profile Garage Jack 3,500kg, CE/GS Standard**

- Code No.: LR-8847 CE/GS
- Min. height: 90mm
- Max. height: 550mm
- Net weight: 48.0kg
- Standard: CE & GS
- Product size: 820 x 330 x 195 mm
- Packing: Ea / Color box / G.W. / 49 kg / 3.16cft
- Capacity: 3,500kg
- Lifting height: 460mm
- Saddle size: 100mm

**Hydraulic Low Profile Garage Jack 3,000kg, CE/GS Standard**

- Code No.: LR-8849 CE/GS
- Mini. height: 70mm
- Max. height: 578mm
- Net weight: 43.5kg
- Product size: 770 x 350 x 175 mm
- Standard: CE & GS
- Packing: Ea / Color box / G.W. / 44.5 kg / 2.22cft
- Capacity: 3,000kg
- Lifting height: 508mm
- Saddle size: 100mm



Low profile garage Jacks are fitted with twin pistons for rapid lift and high end capacity. Made to be used everyday.

**Hydraulic Low Profile Garage Jack 2,500kg, CE/GS Standard**

- Code No.: LR-8843T CE/GS
- Min. height: 100mm
- Max. height: 570mm
- Net weight: 31.5kg
- Product size: 648 x 342 x 176 mm
- Standard: CE & GS
- Packing: Ea / Color box / G.W. / 32.5 kg / 1.88cft
- Capacity: 2,500kg
- Lifting height: 470mm
- Saddle size: 110mm

**Hydraulic Garage Jack 2,500kg, CE/GS Standard**

- Code No.: LR-8840 CE/GS
- Min. height: 140mm
- Max. height: 610mm
- Net weight: 30.5kg
- Product size: 680 x 330 x 160 mm
- Standard: CE & GS
- Packing: Ea / Color box / G.W. / 31.5 kg / 2.15cft
- Capacity: 2,500kg
- Lifting height: 470mm
- Saddle size: 113mm



High quality castors for easy movement and durability. We worry about quality so you don't need too.

**Hydraulic Garage Jack 2,500kg, CE/GS Standard**

- Code No.: LR-8841 CE/GS
- Min. height: 140mm
- Max. height: 610mm
- Net weight: 28kg
- Product size: 625 x 335 x 180 mm
- Standard: CE & GS
- Packing: Ea / Color box / G.W. / 29.5 kg / 1.88cft
- Capacity: 2,500kg
- Lifting height: 470mm
- Saddle size: 113mm



Hydraulic Floor Jack 3,000kg, CE/GS Standard

- Code No.: LR-8830A CE/GS
- Capacity: 3,000kg
- Min. height: 192mm
- Max. height: 724mm
- Net weight: 16kg
- Standard: CE & GS
- Lifting height: 532mm
- Saddle size: 60mm
- Product size: 595 x 188 x 192 mm
- Packing: Ea / Color box / G.W./ 17.5 kg / 1.08cuft



Hydraulic Floor Jack 3,000kg, CE/GS Standard

- Code No.: LR-8830AJ CE/GS
- Capacity: 3,000kg
- Min. height: 150mm
- Max. height: 582mm
- Net weight: 15.0kg
- Standard: CE & GS
- Lifting height: 432mm
- Saddle size: 60mm
- Product size: 595 x 188 x 175 mm
- Packing: Ea / Color box / G.W./ 16.5 kg / 0.92cuft



Hydraulic Floor Jack 2,750kg, CE/GS Standard

- Code No.: LR-8830 CE/GS
- Capacity: 2,750kg
- Min. height: 133mm
- Max. height: 520mm
- Net weight: 11.5kg
- Standard: CE & GS
- Lifting height: 387mm
- Saddle size: 66mm
- Product size: 520 x 188 x 148 mm
- Packing: Ea / Color box / G.W./ 12.5 kg / 0.65cuft



Hydraulic Low Profile Floor Jack 2,250kg, CE/GS Standard

- Code No.: LR-8800K CE/GS
- Capacity: 2,250kg
- Min. height: 80mm
- Max. height: 445mm
- Net weight: 12.6kg
- Standard: CE & GS
- Lifting height: 365mm
- Saddle size: 60mm
- Product size: 565 x 214 x 150 mm
- Packing: Ea / Color box / G.W./ 13.6 kg / 0.77cuft



Hydraulic Floor Jack 2,250kg, CE/GS Standard

- Code No.: LR-8839A CE/GS
- Capacity: 2,250kg
- Min. height: 150mm
- Max. height: 682mm
- Net weight: 18kg
- Standard: CE & GS
- Lifting height: 532mm
- Saddle size: 60mm
- Product size: 700 x 188 x 180 mm
- Packing: Ea / Color box / G.W./ 19.5 kg / 1.25cuft

Lykoi's  
Huge range of Trolley  
Jacks, are made to lift  
your vehicle in the air  
with the utmost safety



Hydraulic Low Profile Floor Jack 2,000kg, CE/GS Standard

- Code No.: LR-8800 CE/GS
- Capacity: 2,000kg
- Min. height: 80mm
- Max. height: 410mm
- Net weight: 11kg
- Standard: CE & GS
- Lifting height: 330mm
- Saddle size: 56mm
- Product size: 455 x 200 x 135 mm
- Packing: Ea / Color box / G.W./ 12 kg / 0.72cuft



Hydraulic Floor Jack 2,000kg, CE/GS Standard

- Code No.: LR-8804J CE/GS
- Capacity: 2,000kg
- Min. height: 135mm
- Max. height: 490mm
- Net weight: 9.0kg
- Standard: CE & GS
- Lifting height: 355mm
- Saddle size: 66mm
- Product size: 450 x 188 x 148 mm
- Packing: Ea / Color box / G.W./ 10.5 kg / 0.57cuft



Hydraulic Floor Jack 2,000kg, CE/GS Standard

- Code No.: LR-8815 CE/GS
- Capacity: 2,000kg
- Min. height: 127mm
- Max. height: 457mm
- Net weight: 8.5kg
- Standard: CE & GS
- Lifting height: 330mm
- Saddle size: 60mm
- Product size: 455 x 200 x 140 mm
- Packing: Ea / Color box / G.W./ 9.5 kg / 0.59cuft



Hydraulic Bottle Jack 2,000kg, CE/GS Standard

- Code No.: S0204 CE/GS
- Capacity: 2,000kg
- Min. height: 158mm
- Lifting height: 90mm
- Screw Extension: 60mm
- Overall height close: 248mm
- Overall height open: 308mm
- Saddle size: 17 mm
- Base size: 95 x 90 mm
- Net weight: 2.5kg
- Standard: CE & GS
- Product size: 100 x 95 x 158 mm
- Packing: Ea / Color box / 10pcs / ctn / G.W. / 26 kg / 0.82cft



Hydraulic Bottle Jack 4,000kg, CE/GS Standard

- Code No.: S0404 CE/GS
- Capacity: 4,000kg
- Min. height: 195mm
- Lifting height: 125mm
- Screw Extension: 60mm
- Overall height close: 320mm
- Overall height open: 380mm
- Saddle size: 22 mm
- Base size: 112 x 102 mm
- Net weight: 3.5kg
- Standard: CE & GS
- Product size: 105 x 115 x 195 mm
- Packing: Ea / Color box / 8pcs / ctn / G.W. / 30 kg / 1.0cft



Hydraulic Bottle Jack 6,000kg, CE/GS Standard

- Code No.: S0604 CE/GS
- Capacity: 6,000kg
- Min. height: 200mm
- Lifting height: 125mm
- Screw Extension: 80mm
- Overall height close: 325mm
- Overall height open: 405mm
- Saddle size: 30 mm
- Base size: 115 x 120 mm
- Net weight: 4.5kg
- Standard: CE & GS
- Product size: 115 x 120 x 200 mm
- Packing: Ea / Color box / 6pcs / ctn / G.W. / 29 kg / 0.89cft



Hydraulic Bottle Jack 12,000kg, CE/GS Standard

- Code No.: S1204 CE/GS
- Capacity: 12,000kg
- Min. height: 245mm
- Lifting height: 160mm
- Screw Extension: 80mm
- Overall height close: 405mm
- Overall height open: 485mm
- Saddle size: 42 mm
- Base size: 135 x 133 mm
- Net weight: 8.3kg
- Standard: CE & GS
- Product size: 140 x 135 x 245 mm
- Packing: Ea / Color box / 2pcs / ctn / G.W. / 18 kg / 0.58cft



Hydraulic Bottle Jack 20,000kg, CE/GS Standard

- Code No.: S2004 CE/GS
- Capacity: 20,000kg
- Min. height: 250mm
- Lifting height: 160mm
- Screw Extension: 80mm
- Overall height close: 410mm
- Overall height open: 490mm
- Saddle size: 46 mm
- Base size: 163 x 156 mm
- Net weight: 11.0kg
- Standard: CE & GS
- Product size: 163 x 156 x 250 mm
- Packing: Ea / Color box / 2pcs / ctn / G.W. / 25 kg / 0.64cft



Hydraulic Bottle Jack 32,000kg, CE/GS Standard

- Code No.: S3204 CE/GS
- Capacity: 32,000kg
- Min. height: 285mm
- Lifting height: 180mm
- Screw Extension: 0mm
- Overall height close: 465mm
- Overall height open: 465mm
- Saddle size: 55 mm
- Base size: 167 x 162 mm
- Net weight: 14.5kg
- Standard: CE & GS
- Product size: 170 x 162 x 285 mm
- Packing: Ea / Color box / 2pcs / ctn / G.W. / 30 kg / 0.83cft



Mix and match  
tool trays with  
these high  
quality tool  
trolleys.

**Model Number RTT7D**



- 6" Easy move and lockable castors.
- Heavy duty bearing slides on all draws.
- Strong steel cabinets made to last

**Model Number RTT5D**



- Key lockable for added security
- Eva trays so tools are at your finger tips.

